

COMPLIANCE HISTORY
For
United States Air Force
Utah Test and Training
Box Elder and Tooele County, Utah

ACTION: **NOTICE OF VIOLATION (No. 9307046)** issued September 28, 1993 for inspections on August 4 and 25, 1992 and April 26, 1993.

ISSUES:

- personnel training records not kept at facility
- detailed chemical and physical analysis of waste not performed prior to OB/OD treatment
- open container of hazardous waste in Building 40065
- leaking used oil container
- SAA not at or near point of generation

RESOLUTION: Responses to NOV received October 22, 1993, February 4, 1994 and March 29, 1994. Letter from Division sent October 28, 1994, closing issues.

ACTION: **Warning Letter (No. 9911032)** was issued November 16, 1999 based on inspections on August 24 and 25, 1999.

ISSUES:

- Inadequate characterization and management of waste scrap burn pan
- One open container

RESOLUTION: Satisfactory response was received in a meeting held October 12, 1999. Closure of issues letter sent November 16, 1999.

ACTION: **NOTICE OF VIOLATION (No. 0307019)** issued August 13, 2003, for CEI inspection on September 9, 2003.

ISSUES:

- wrong unit on NEW of treatment listed in operating log
- burn pan bent and not functional
- no notice to off-site facilities of permit

RESOLUTION: Responses to NOV received September 12, 2003.

ACTION: **NOTICE OF VIOLATION AND STIPULATION AND CONSENT ORDER (NOV No. 0411034, SCO Number 0503010)** issued April 27, 2005.

ISSUES:

- no emergency permit for range clearance
- no 2004 waste minimization statement
- no 2004 alternative technologies report
- no certification on some correspondence

RESOLUTION: March 17, 2005 and June 8, 2005, received responses to NOV and SCO. A penalty of \$5,720 was paid.

Last reviewed March 2008